

Pulse Connect Secure

Supported Platforms Guide

Product Release 8.1

Document Revision 3.0 Published: 2015-03-31

2700 Zanker Road, Suite 200 San Jose, CA 95134 http://www.pulsesecure.net

© 2015 by Pulse Secure, LLC. All rights reserved

Pulse Secure and the Pulse Secure logo are trademarks of Pulse Secure, LLC in the United States. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners.

Pulse Secure, LLC assumes no responsibility for any inaccuracies in this document. Pulse Secure, LLC reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

Pulse Connect Secure Supported Platforms Guide

The information in this document is current as of the date on the title page.

END USER LICENSE AGREEMENT

The Pulse Secure product that is the subject of this technical documentation consists of (or is intended for use with) Pulse Secure software. Use of such software is subject to the terms and conditions of the End User License Agreement ("EULA") posted at http://www.pulsesecure.net/support/eula. By downloading, installing or using such software, you agree to the terms and conditions of that EULA."

Contents Introduction

Hardware

Administrator Web User Interface

Client Environment

Pulse Desktop Client

Pulse Secure Mobile Client

Pulse Secure Collaboration Client

Windows Platform Features

Cross-Platform Features

Platform Support for Device Onboarding

Client Installer Service

MDM Solutions

Platform Support for AAA

Third-Party Applications

Revision History

Introduction

This document describes the client environments and IT infrastructure that are compatible with this release.

In this document, we identify compatibility testing for this release with the following terminology:

- Qualified–Indicates that the item was systematically tested by QA for this release.
- Compatible–Indicates that the item was not tested for this release, but based on testing done for previous releases, we support it.

Pulse Secure supports all items listed as qualified or compatible.

Hardware

You can install and use Release 8.1 software on the following platforms.

- SA2500
- SA4500
- SA6500
- SAX500 FIPS
- MAG2600
- MAG4610
- MAG6610 with Service Module SM160 or SM360
- MAG6611 with Service Module SM160 or SM360
- Virtual Appliances (VA-SPE) on ESXi 5.5 and KVM

Administrator Web User Interface

Table 1 lists supported platforms for the administrator user interface.

Table1: Admin User Interface

Operating System	Browsers/Java	Qualified	Compatible
Linux			
Linux openSUSE 12.1	• Firefox 31 ESR		✓
	Google ChromeOracle JRE 8		
Linux Ubuntu 12.04 LTS	Firefox 24 ESR		✓
	Google ChromeOracle JRE7,JRE 8		
Mac			
Mac OS X 10.10,10.9, 10.8, 64-bit	Safari 7.0Safari 6.0		✓
	Safari 5.1 Oracle JRE 8		
Solaris			
Solaris 10, 32-bit	Mozilla 2.0 and later		✓
Windows [*]			
Windows 8 Enterprise, 64-bit	Internet Explorer 10, 9	✓	
Windows 7 Enterprise SP1, 64-bit	Firefox 31 ESRGoogle ChromeOracle JRE 8		
Windows 8.1 Update/ Professional / Enterprise Windows 7 Ultimate / Professional / Home Basic / Home	Internet Explorer 11		✓

On Windows 8.1, 8 platforms, the endpoint must use desktop mode and enable plug-ins in the Internet Explorer configuration.

Client Environment

- Pulse Desktop Client
- Pulse Secure Mobile Client
- Pulse Secure Collaboration Client
- Windows Platform Features
- Cross-Platform Features

Pulse Desktop Client

See the Pulse Secure Supported Platforms Guide.

Pulse Secure Mobile Client

Table 2 lists supported mobile platforms for the Pulse Secure Mobile Client. See Table 3 and Table 4 for supported features for IPv6 and IPv4, respectively.

Table2: Pulse Secure Mobile Client

Mobile Operating System	Qualified	Compatible
Android	4.4.x, 4.3, 4.2, 4.1, and 2.3.5	4.0, 3.0,2.3.7
iOS (iPhone , iPad, and iPod)	7.1.1, 7.1, 7.0, 6.1.3	7.1, 6.1
Blackberry	7.0, v6.0.0.246	7.1, 7.0, v5.0

Table 3 lists the supported features for IPv6.

Table3: Supported Features for IPv6

Feature	Android	iOS	Symbian	Windows
VPN		√		
Host Checker		./		
ActiveSync		✓		

Table 4 lists the supported features for IPv4.

Table4: Supported Features for IPv4

Feature	Android	iOS	Symbian	Windows
VPN	✓ (ICS*)	✓	✓ (Only rewriting)	✓ (WSAM)
Security (MSS)	✓		✓	✓
Host Checker	✓	✓		

Secure Meeting		✓		No
Active Sync	✓	✓	✓	✓
Rewriting	✓	✓	✓	✓

VPN support is available for Android ICS 4.0. For supported versions prior to ICS 4.0, the Android platform build should be used or VPN drivers must be installed.

Pulse Secure Collaboration Client

Table 5 lists the recommended platform requirements for Pulse Secure collaboration client.

Table5: Pulse Secure Collaboration Client

Component	Requirements
CPU	1 GHz or more for Windows Client.
	1 GHz G4 or Intel processor for a Mac.
Memory	256 MB of available RAM or more.
Color Quality	For best results, use 16 bits.
	8 bits, 16 bits, 24 bits, and 32 bits are also supported.
Monitor Resolution	1024 x 768 pixels. Up to 2048 x 2048 pixels is supported.



NOTE: Pulse Secure Collaboration Client is not supported on a Mac PowerPC. It is supported only on Intel-based Mac machines.



NOTE: Pulse Collaboration sharing features are not supported on Ubuntu 12.04, Linux openSUSE 11.x, 10.x, and Linux openSUSE 12.1.

Windows Platform Features

The Pulse Connect Secure supports the following features on Windows platforms:

- Windows Secure Access Manager (WSAM)
- · Terminal Services

Table 6 describes the supported client environment for WSAM and Terminal Services.

Table6: Client Environment for WSAM and Terminal Services

Operating System	Browsers/Java	Qualified	Compatible
Windows 8 Enterprise, 64-bit	Internet Explorer 10	✓	
	 Firefox 31 ESR 		
	 Google Chrome 		
	Oracle JRE 8		

Windows 8.1 Update/ Professional / Enterprise	Internet Explorer 11	✓
Windows 6.1 Opuate/ Professional / Enterprise Windows 7 Ultimate / Professional / Home Basic / Home		
Windows 8 Enterprise, 32-bit	 Internet Explorer 10 Firefox 24 and later Oracle JRE 6 and later 	√
Windows 8 basic edition / Professional, 32-bit or 64-bit	 Internet Explorer 10 Firefox 24 and later Oracle JRE 6 and later 	√
Windows 7 Enterprise SP1, 64-bit	 Internet Explorer 10, 9 Firefox 31 ESR Google Chrome Oracle JRE 7 	
Windows 7 Enterprise SP1, 32-bit	 Internet Explorer 10 Internet Explorer 9.0 Internet Explorer 8.0 Internet Explorer 7.0 Firefox 24 and later Oracle JRE 7 and later 	✓
Windows 7 Ultimate / Professional / Home Basic / Home, 32-bit or 64-bit	 Internet Explorer 10 Internet Explorer 9.0 Internet Explorer 8.0 Internet Explorer 7.0 Firefox 24 and later Oracle JRE 6 and later 	~
Windows Vista Enterprise / Home Basic / Home Premium / Professional / Ultimate, 64-bit or 32-bit	 Internet Explorer 9.0 Internet Explorer 8.0 Internet Explorer 7.0 Firefox 24 and later Oracle JRE 6 and later 	~

Cross-Platform Features

The Pulse Connect Secure supports the following features on multiple platforms:

- · Cache Cleaner
- · File Browsing
- · Host Checker
- Java Secure Application Manager (JSAM)
- Network Connect
- Secure Client-Side Java Applets

- · Secure Terminal Access
- · Web Browsing
- · Pulse Collaboration
- · Terminal Services

Table 7 lists the windows platform requirements for the all the cross-platform features.

Table7: Windows Desktop Platform requirements for Cross-Platform Features

Operating System	Browsers/Java	Qualified	Compatible
Windows			
Windows 8.1 Update/ Professional / Enterprise, 64-bit	Internet Explorer 11		✓
	Firefox 24 ESR		
	 Google Chrome 		
	Oracle JRE 8		
Windows 8 Enterprise, 64-bit	Internet Explorer 10	✓	
	Firefox 31 ESR		
	Google Chrome		
	Oracle JRE 8		
Windows 8 Enterprise, 32-bit	Internet Explorer 10		✓
	Firefox 24 and later		
	Oracle JRE 6 and later		
Windows 8 basic edition / Professional, 32-bit or 64-bit	Internat Fundamen 40		√
Williams o basic edition? Frotessional, 32-bit of 64-bit	Internet Explorer 10 Finales 24 and later		•
	Firefox 24 and laterOracle JRE 6 and later		
	Oracle JRE 6 and later		
Windows 7 Enterprise SP1, 64-bit	 Internet Explorer 11,10, 9 	✓	
	 Firefox 31 ESR 		
	 Google Chrome 		
	Oracle JRE 7		
Windows 7 Enterprise SP1, 32-bit	• Internet Explorer 11,10, 9, 8, 7		✓
	 Firefox 24 and later 		
	Oracle JRE 6 and later		
Windows Vista Enterprise / Ultimate / Business / Home-Basic / Home-Premium, 32-bit or 64-bit	• Internet Explorer 11,10, 9, 8, 7		✓
	 Firefox 24 and later 		
	 Oracle JRE 6 and later 		

Table 8 lists the non-windows platform requirements for all cross-platform features except

Network Connect. See Table 9 for non-windows platform requirements for Network Connect.

Table8: Non-Windows Desktop Platform requirements for Cross-Platform Features

Operating System	Browsers/Java	Qualified	Compatible
Linux			
Linux Redhat Enterprise Linux 5	Firefox 24 and laterOracle JRE 6 and later		✓
Linux openSUSE 12.1	Firefox 24 ESROracle JRE 8	✓	
Linux openSUSE 12.1	Google Chrome		✓
Linux openSUSE 11.x, 10.x	Firefox 24 and laterOracle JRE 6 and later		√
Linux Ubuntu 12.04 LTS	Firefox 24 ESROracle JRE 8	✓	
Linux Ubuntu 12.04 LTS	Google Chrome		✓
Linux Ubuntu 11.x, 10.x, 9.10	Firefox 24 and laterOracle JRE 6 and later		✓
Mac			
Mac OS 10.10,10.9	Safari 7.0Oracle JRE 7		√
Mac OS X 10.10,10.8, 64-bit	Safari 6.0, 5.1Oracle JRE 8	✓	
Mac OS X 10.10,10.7.4, 10.6 64-bit and 32-bit	Safari 6.0, 5.1, 5.0Oracle JRE 6 and later		✓
Mac OS X 10.8, 32-bit	Safari 6.0, 5.1, 5.0Oracle JRE 6 and later		✓
Solaris			
Solaris 10, 32-bit	Mozilla 2.0 and later		✓
	Oracle JRE 7		✓

For Network Connect, an endpoint can run a 32-bit client on a 64-bit Linux platform. Table 9 lists the non-windows platform requirements for Network Connect.



NOTE: Network Connect is not supported on Mac 10.9 and later.

Table9: Non-Windows Desktop Platform requirements for Network Connect

Operating System	Browsers/Java	Qualified	Compatible	Not Supported
Linux Fedora 12	Firefox 24 ESR	✓		
	Oracle JRE 8, 7, 6			
	• Iced-Tea Web 1.2 with OpenJDK 7, 6			
Linux Fedora 12	Google Chrome		✓	
Linux openSUSE 12.1	Firefox 24 ESR	✓		
	• Oracle JRE 8, 7, 6			
	• Iced-Tea Web 1.2 with OpenJDK 7, 6			
Linux openSUSE 12.1	Google Chrome		✓	
Linux Ubuntu 12.04 LTS	Firefox 24 ESR	√		
	• Oracle JRE 8, 7, 6			
	 Iced-Tea Web 1.2 with OpenJDK 7, 6 			
Linux Ubuntu 12.04 LTS	Google Chrome		· ✓	
Solaris	· ·			√
Mac OS 10.9				✓
Mac OS X 10.8, 64-bit	Safari 6.0, 5.1	√		
	Oracle JRE 8			
	- Gradic dive d			
Mac OS X 10.7.4, 10.6 64-bit and 32-bit	• Safari 6.0, 5.1, 5.0		✓	
	Oracle JRE 6 and later			
Mac OS X 10.8, 32-bit	• Safari 6.0, 5.1, 5.0		✓	
	Oracle JRE 6 and later			

Platform Support for Device Onboarding

Table 10 lists platform requirements for device onboarding features that are qualified with this release.

Table 10: Device Onboarding Features

Operating System/Feature	VPN	Certificate	Wifi	Secure Email
• iOS 7.1.1, 64-bit and 32-bit	✓	✓	✓	✓
• iOS 7.1				
• iOS 6.1.x				
• Android 4.4.3	✓	✓	✓	
 Android 4.4.2 				
Android 4.3				

Windows 8.1 Desktop	✓	✓	
Windows 7			
Mac OS X 10.9.3, Safari 7.x	✓	✓	
Mac OS X 10.8.5, Safari 6.1.x			

Client Installer Service

Juniper Installer Service is supported for the following client applications:

- Network Connect
- Windows Secure Application Manager
- Host Checker (including Cache Cleaner)
- Pulse Collaboration
- Terminal Services

Table 11 lists supported platform requirements for the Pulse Secure client installer service.

Table11: Pulse Secure client installer service

Operating System	Browsers/Java	Qualified	Compatible
Windows 8.1 Update/ Professional / Enterprise, 64-bit	Internet Explorer 11		✓
	 Firefox 24 ESR 		
	 Google Chrome 		
	Oracle JRE 8		
Windows 8 Enterprise, 64-bit	 Internet Explorer 10 	✓	
•	Internet Explorer 9		
	Firefox 24 ESR		
	Google Chrome		
	Oracle JRE 8		
WE I TORATE A CONTROL			
Windows 7 SP1 Enterprise, 64-bit	 Internet Explorer 11,10, 9 	✓	
	• Firefox 24 ESR		
	Google Chrome Grade IDE 7		
	Oracle JRE 7		
Windows 8 basic edition / Professional, 32-bit or 64-bit	 Internet Explorer 10 		X
Windows 7 Ultimate / Professional / Home Basic / Home	 Internet Explorer 9.0 		
Windows 7 SP1 Enterprise, 32-bit	 Internet Explorer 8.0 		
Windows Vista Enterprise / Ultimate / Business / Home-Basic /	 Internet Explorer 7.0 		
Home-Premium, 32-bit or 64-bit	 Firefox 24 and later 		
	 Oracle JRE 6 and later 		

MDM Solutions

Table 12 lists the requirements for integration with mobile device management (MDM) vendors.

Table12: MDM Vendors

Solution	Qualified	Compatible
AirWatch		
Cloud service	✓	
	6.5.0.0	
Appliance OS		✓
Virtual appliance OS	✓	
MobileIron		
Cloud service	✓	
	VSP 5.8.0	
Appliance OS		✓
Virtual appliance OS	✓	

Platform Support for AAA

Table 13 lists supported third-party AAA servers.

Table13: Third-Party AAA Servers

Third-Party AAA Server	Qualified	Compatible
Active Directory	Windows 2012Windows 2008 R2	Windows 2003Windows 2012 R2
LDAP using Microsoft Active Directory	Windows 2012Windows 2008 R2	Windows 2003Windows 2012 R2
LDAP using Novell eDirectory	Novell Client for Windows 2000/XP Version 4.91 SP2	
LDAP using Sun ONE iPlanet Server	Sun ONE Directory Server 5.2	
LDAP (other standards-compliant servers)	OpenLDAP 2.3.27	Authentication and authorization based on user attributes or group membership.
RADIUS	 Steel-Belted RADIUS (SBR) 6.1 RSA Authentication Manager 6.1 Defender 5.2 	Windows IAS 2008
RADIUS (other standards-compliant servers)		✓

ACE	 RSA Authentication Manager 7.1 SP4 	RSA Authentication Manager 6.1RSA Authentication Manager 5.2
Siteminder	CA Siteminder 12.0 SP3CA Siteminder 6.0 SP4	CA Siteminder 5.5
Certificate	Windows 2008 R2	RSA Keon Certificate Manager 6.5.1
Certificate (other standards- compliant servers)		✓
SAML ^{**} 2.0, 1.1	PingFederate 6.4.1.1	Microsoft ADFS 2.0 (Server 2008 R2)Oracle Identity Federation 11.1.1.2.0
SAML 2.0, 1.1 (other standards-compliant servers)		✓
*Additional requirements and limita	tions apply. See Active Directory.	
For information on the SAML SSC	profiles, bindings, and protocols that we	e support, see Supported SAML SSO Profiles.

Third-Party Applications

Table 14 lists supported third-party applications.

Table14: Third-Party Applications

Application	Access Method	Qualified	Compatible
Outlook Web Access (OWA)			
OWA 2013 SP1	Web Profiles (Rewriter, Passthrough Proxy)	✓	
OWA 2010 SP2	Web Profiles (Rewriter, Passthrough Proxy)	✓	
OWA 2010 SP1	Web Profiles (Rewriter, Passthrough Proxy)		✓
OWA 2007	Web Profiles (Rewriter, Passthrough Proxy)		✓
Sharepoint			
Sharepoint 2013	Web Profiles (Rewriter, Passthrough Proxy)	✓	
Sharepoint 2010	Web Profiles (Rewriter, Passthrough Proxy)	✓	
Sharepoint 2007	Web Profiles (Rewriter, Passthrough Proxy)		✓
IBM Domino			
Lotus iNotes 8.5.3	Web Profiles (Rewriter, Passthrough Proxy)	✓	
Lotus Connect 3.0, 2.5	Rewriter	✓	
Citrix			
Citrix Web Interface 5.4	Web Profiles (Rewriter, JSAM, and WSAM)	✓	
Citrix Web Interface 4.5	Web Profiles (Rewriter, JSAM, and WSAM)		✓
Citrix Program Neighborhood Agent with Citrix Server 6.0	JSAM, WSAM		✓
Citrix Listed Applications With Server 6.5SP1, 6.0	Rewriter	✓	
Citrix Listed Applications With Server 6.0	Rewriter		✓
Custom ICA Client			✓
XenDesktop 7.0, 5.6,	VDI Profiles	✓	
XenDesktop 5.0	VDI Profiles		✓
VMWare			
VMWare Horizon View Server 5.3, 5.2	VDI Profiles	✓	

VMWare Horizon View Client 5.2, 5.1	VDI Profiles	✓	
VMWare View Server 4.6, 5.0	VDI Profiles		✓
VMWare 4.6, 5.0	VDI Profiles		✓
Exchange ActiveSync	-		
Office 365	Secure Mail Resource Profile	✓	
Exchange 2013	Secure Mail Resource Profile	✓	
Exchange 2010 SP1	Secure Mail Resource Profile	✓	
Exchange 2007	Secure Mail Resource Profile		✓
Miscellaneous			
WRQ web access	Java Rewriter		✓

Revision History

Table 15 lists the revision history for this document.

Table15: Revision History

Revision	Description
01/Dec 15, 2015	Initial publication
02/Feb 16, 2015	Corrected entry for Non-Windows Desktop Platform requirements for Cross-Platform features
03/Mar 03,2015	Updated Third-Party AAA Servers